

*ISO 9001:2015 & ISO 14001:2015
ISO 14064:2018 & ISO 14067:2018
ISO 27001:2022 & ISO 50001:2018
CERTIFIED MANUFACTURER*

UPDATE SEDEX, BSCI, WCA, FSC, REACH & RoHS




Surface Protection Tape Series

2025

A GLOBALLY ORIENTED MANUFACTURER OF SELF-ADHESIVE TAPE

Carpet Protection Tape No.PCP, CCP Felt Tape No.KL




Carpet protection tape: Protects carpets from job site dirt and grime. Keep carpet clean while working and protect carpet from damage while moving.

Felt Tape: Ultra heavy-duty. Self-stick. Strong adhesion. Excellent non-slip properties. Prevent scratching and noise. Good for chairs, table's legs, stools.

Usage

- Can be used to protect counters, table and anywhere to save time, save money and reduce cleanup cost.
- Used on chairs stools, table's legs.
- Used on stereos, clocks, stoves TVs, refrigerators.

Structure



PE Protection Tape No.PP-02, PP-03 PVC Protection Tape No.PC-01, PC-02




PE protection tape: Excellent protection against damages and scratches from transportation and removal and production for a wide range of application.

PVC protection tape: For aluminium material, door and window's protection during transportation.

Usage

- Aluminium material.
- Used for protection door, windows and floor.
- For electronic circuit board protection while welding.

Structure




Performance

Items	PCP	CCP	PP-02	PP-03	PC-01	PC-02	KL
Backing	PE Film	Crepe Paper	PE		PVC		Felt
Adhesive	Acrylic Emulsion		Acrylic Emulsion/Acrylic Solvent		Acrylic Solvent		
Colors.	Clear, Customized Printing	Customized Printing	Transparent-Blue	Black/White	White, Transparent-Blue	Dark Blue	Black, Grey
Adhesion To Steel (N/in)	≥ 4.9	≥ 1.9	0.9~1.9	1.6~2.4	1.79	1	14.2
Tensile Strength (N/in)	≥ 45	≥ 75	25	35~58	50	45	N/A
Elongation (%)	≥ 300	≥ 18	160	600~800	150	150	N/A
Total Thickness (mm)	0.060~0.080	0.120±10%	0.060~0.120	0.080~0.100	0.115±10%	0.085±10%	3~6



Laser Protection Tape No.LAP Decoration Window Film No.DWF OPP Lens Tape No.OPLS, OPLI



Laser protection tape: Excellent protection against damages and scratches from transportation.


Decoration window film: Modern art look glasses door and windows make a colorful statement. Different season has different decoration. Installation is simple and it's very easy to work with.

OPP lens tape: Good for fancy gift packing and decoration.

Usage

- Decoration.
- Gift wrapping.
- Excellent protection against damages.

Structure



Door Seal Tape No.DOS Floor Seal Tape No.FLSG No Residue Floor Seal Tape No.FLSN



Door seal tape: 14 days no glue residue on the door frame.


Floor seal tape: Permanent adhesive formula to ensure sticking firmly.

No residue floor seal tape: 14 days no glue residue on the floor.

Usage

- Protection.
- Keep things clean outside the workplace.
- Auxiliary Flooring. Fixed.

Structure



Performance

Items	LAP	DWF	OPLS	OPLI	DOS	FLSG	FLSN
Backing	PP	PE	CPP & Aluminized		PE		
Adhesive	Acrylic Emulsion	N/A	Acrylic Emulsion		Acrylic Emulsion		
Colors.	Color	Frosted Printed-Embossed	Color		Lime Green /Blue/Clear	Clear	
Adhesion To Steel (N/in)	≥ 1.76	N/A	≥ 5.8		≥ 7.0	≥ 8.0	≥ 7.0
Tensile Strength (N/in)	≥ 79	N/A	≥ 34		≥ 35	≥ 64	
Elongation (%)	≥ 120	N/A	≥ 250		≥ 700	≥ 800	
Total Thickness (mm)	0.045±0.002	0.10~0.12	0.100		0.090~0.110	0.168±0.005	

